ELSEVIER

Brain Research 695 (1995) 298–300

BRAIN RESEARCH

Author Index

Abrahamsen, G.C., Berman, Y. and Carr, K.D.
Curve-shift analysis of self-stimulation in food-restricted rats: relationship between daily meal, plasma corticosterone and reward sensitization (695) 186
Aitken, P.G., see Chebabo, S.R. (695) 203
Aitken, P.G., see Huang, R. (695) 195
Akaike, N., see Ishibashi, H. (695) 88
Akiyama, H., see Nishimura, T. (695) 137
Ambrosio, S., see Espino, A. (695) 151
Amer-Ferrer, G. and Reinoso-Suárez, F.
Projections from the 17/18 visual area transition zone to the ipsilateral visual field representation in the cat superior colliculus (695) 283
Ardid, D., Jourdan, D., Mestre, C., Villanueva, L., Le Bars, D. and Eschalier, A.
Involvement of bulbospinal pathways in the antinociceptive effect of clomipramine in the rat (695) 253
Azzazy, H.M.E., Hong, K., Wu, M.-C. and Gross, G.W.
Interaction of cationic liposomes with cells of electrically active neuronal networks in culture (695) 231

Bae, M.-A., see Cho, H.-J. (695) 96
Banks, W.A., Wustrow, D.J., Cody, W.L., Davis, M.D. and Kastin, A.J.
Permeability of the blood–brain barrier to the neurotensin$_{8-13}$ analog NT1 (695) 59
Bannon, M.J., Brownschidle, L.A., Tian, Y., Whitty, C.J., Poosch, M.S., D'sa, C. and Moody, C.A.
Neurokinin-3 receptors modulate dopamine cell function and alter the effects of 6-hydroxydopamine (695) 19
Bartrons, R., see Espino, A. (695) 151
Beltz, T.G., see Menani, J.V. (695) 250
Bennett, B.A., see Wichems, C.H. (695) 10
Benoist, J.-M., see Berkley, K.J. (695) 92
Berkley, K.J., Benoist, J.-M., Gautron, M. and Guilbaud, G.
Responses of neurons in the caudal intralaminar thalamic complex of the rat to stimulation of the uterus, vagina, cervix, colon and skin (695) 92
Berman, Y., see Abrahamsen, G.C. (695) 186
Bongianni, F., see Viana Di Prisco, G. (695) 76
Bosco, G., see Perciavalle, V. (695) 293
Bouvier, R., see Jordan, D. (695) 117
Brownschidle, L.A., see Bannon, M.J. (695) 19
Buldakova, S., see Weiss, M. (695) 105

Carr, K.D., see Abrahamsen, G.C. (695) 186
Chandler, S.H., see Hsiao, C.-f. (695) 217
Chebabo, S.R., Hester, M.A., Aitken, P.G. and Somjen, G.G.
Hypotonic exposure enhances synaptic transmission and triggers spreading depression in rat hippocampal tissue slices (695) 203
Chi, J., see Mohammed, J.R. (695) 100
Cho, H.-J., Lee, H.-S., Bae, M.-A. and Joo, K.
Chronic arthritis increases tyrosine hydroxylase mRNA levels in the pontine noradrenergic cell groups (695) 96
Cody, W.L., see Banks, W.A. (695) 59
Cote, N.K., see Eaton, S.J. (695) 227
Cutillas, B., see Espino, A. (695) 151

Davis, M.D., see Banks, W.A. (695) 59
Decker, K., see Reuss, S. (695) 257
De Hua Chui, see Ichihara, N. (695) 173
Di Pasquale, E., Monteau, R., Hilaire, G. and Iscoe, S.
Effects of ethanol on respiratory activity in the neonatal rat brainstem-spinal cord preparation (695) 271
D'sa, C., see Bannon, M.J. (695) 19
Dubuc, R., see Viana Di Prisco, G. (695) 76
Dutova, E., see Weiss, M. (695) 105

Eaton, S.J., Cote, N.K. and Harrington, M.E.
Histamine synthesis inhibition reduces light-induced phase shifts of circadian rhythms (695) 227
Eschalier, A., see Ardid, D. (695) 253
Espino, A., Cutillas, B., Tortosa, A., Ferrer, I., Bartrons, R. and Ambrosio, S.
Chronic effects of single intrastriatal injections of 6-hydroxydopamine or 1-methyl-4-phenylpyridinium studied by microdialysis in freely moving rats (695) 151

Felipo, V., see Marcaida, G. (695) 146
Ferrer, I., see Espino, A. (695) 151
Fujimura, M., see Saito, T. (695) 240

Gautron, M., see Berkley, K.J. (695) 92
Gilly, R., see Jordan, D. (695) 117
Gonzalez, J.-L., see Pascual, T. (695) 289
Grillner, S., see Viana Di Prisco, G. (695) 76
Grisolía, S., see Marcaida, G. (695) 146
Gross, G.W., see Azzazy, H.M.E. (695) 231
Guibert, B., see Olivier, V. (695) 1
Guilbaud, G., see Berkley, K.J. (695) 92
Gulya, K., see Harkany, T. (695) 71

Hacker, G.W., see Kaufmann, W. (695) 125
Hammond, D.L., see Thomas, D.A. (695) 267
Harkany, T., Lengyel, Z., Soós, K., Penke, B., Luiten, P.G.M. and Gulya, K.
Cholinotoxic effects of β-amyloid$_{(1-42)}$ peptide on cortical projections of the rat nucleus basalis magnocellularis (695) 71
Harrington, M.E., see Eaton, S.J. (695) 227
Hauser-Kronberger, C., see Kaufmann, W. (695) 125
Hermann, A., see Kaufmann, W. (695) 125
Hester, M.A., see Chebabo, S.R. (695) 203
Hilaire, G., see Di Pasquale, E. (695) 271
Hollingsworth, C.K., see Wichems, C.H. (695) 10
Hong, K., see Azzazy, H.M.E. (695) 231
Hsiao, C.-f. and Chandler, S.H.
Characteristics of a fast transient outward current in guinea pig trigeminal motoneurons (695) 217
Huang, R., Aitken, P.G. and Somjen, G.G.
The extent and mechanism of the loss of function caused by strongly hypotonic solutions in rat hippocampal slices (695) 195

Ichihara, N., Wu, J., De Hua Chui, Yamazaki, K., Wakabayashi, T. and Kikuchi, T.
Axonal degeneration promotes abnormal accumulation of amyloid ß-protein in ascending gracile tract of gracile axonal dystrophy (GAD) mouse (695) 173
Ikeda, K., see Nishimura, T. (695) 137
Iscoe, S., see Di Pasquale, E. (695) 271
Iseki, E., see Nishimura, T. (695) 137
Ishibashi, H., Yatani, A. and Akaike, N.
Block of P-type Ca^{2+} channels in freshly dissociated rat cerebellar Purkinje neurons by diltiazem and verapamil (695) 88
Itoh, T., see Saito, T. (695) 240

Johnson, A.K., see Menani, J.V. (695) 250
Johnson, A.K., see Ohman, L.E. (695) 275
Joo, K., see Cho, H.-J. (695) 96

Jordan, D., Kermadi, I., Rambaud, C., Gilly, R., Bouvier, R. and Kopp, N.
Regional distribution of substance P binding sites in the brainstem of the human newborn (695) 117
Joseph, S.A., see Tassorelli, C. (695) 37
Jourdan, D., see Ardid, D. (695) 253

Kamiya, H., see Yoshino, M. (695) 179
Kastin, A.J., see Banks, W.A. (695) 59
Kato, M., see Nishimura, T. (695) 137
Kaufmann, W., Kerschbaum, H.H., Hauser-Kronberger, C., Hacker, G.W. and Hermann, A.
Distribution and seasonal variation of vasoactive intestinal (VIP)-like peptides in the nervous system of *Helix pomatia* (695) 125
Kermadi, I., see Jordan, D. (695) 117
Kerschbaum, H.H., see Kaufmann, W. (695) 125
Kikuchi, T., see Ichihara, N. (695) 173
Klepper, S., Naftolin, F. and Piepmeier, J.M.
Verapamil treatment attenuates immunoreactive GFAP at cerebral cortical lesion site (695) 245
Kondo, H., see Nishimura, T. (695) 137
Kondoh, T., see Pundt, L.L. (695) 25
Kopp, N., see Jordan, D. (695) 117
Kosaka, K., see Nishimura, T. (695) 137

Layes, E., see Reuss, S. (695) 257
Le Bars, D., see Ardid, D. (695) 253
Lee, H.-S., see Cho, H.-J. (695) 96
Lengyel, Z., see Harkany, T. (695) 71
Leviel, V., see Olivier, V. (695) 1
Low, W.C., see Pundt, L.L. (695) 25
Luiten, P.G.M., see Harkany, T. (695) 71

Maier, S.F. and Watkins, L.R.
Intracerebroventricular interleukin-1 receptor antagonist blocks the enhancement of fear conditioning and interference with escape produced by inescapable shock (695) 279
Marcaida, G., Miñana, M.-D., Grisolía, S. and Felipo, V.
Lack of correlation between glutamate-induced depletion of ATP and neuronal death in primary cultures of cerebellum (695) 146
Masukawa, L.M., see Uruno, K. (695) 163
Menani, J.V., Beltz, T.G. and Johnson, A.K.
Effects of lidocaine injections into the lateral parabrachial nucleus on dipsogenic and pressor responses to central angiotensin II in rats (695) 250
Mestre, C., see Ardid, D. (695) 253
Miñana, M.-D., see Marcaida, G. (695) 146
Mohammed, J.R., Saska, T.A., Chi, J. and Stephens Jr., R.L.
Stimulation of the nucleus raphe obscurus produces marked serotonin release into the dorsal medulla of fed but not fasted rats — glutamatergic dependence (695) 100
Monteau, R., see Di Pasquale, E. (695) 271
Moody, C.A., see Bannon, M.J. (695) 19

Naftolin, F., see Klepper, S. (695) 245
Nishikawa, Y., Shibata, S. and Watanabe, S.
Circadian changes in long-term potentiation of rat suprachiasmatic field potentials elicited by optic nerve stimulation in vitro (695) 158
Nishimura, T., Akiyama, H., Yonehara, S., Kondo, H., Ikeda, K., Kato, M., Iseki, E. and Kosaka, K.
Fas antigen expression in brains of patients with Alzheimer-type dementia (695) 137

O'Connor, M.J., see Uruno, K. (695) 163
O'Dell, T.J., see Thomas, M.J. (695) 45
Ohman, L.E. and Johnson, A.K.
Role of lateral parabrachial nucleus in the inhibition of water intake produced by right atrial stretch (695) 275
Ohta, Y., see Viana Di Prisco, G. (695) 76
Okada, S., see Takeda, A. (695) 53
Olivier, V., Guibert, B. and Leviel, V.
Direct in vivo comparison of two mechanisms releasing dopamine in the rat striatum (695) 1
Olney, J.W., see Stewart, G.R. (695) 81

Pascual, T. and Gonzalez, J.-L.
A protective effect of lithium on rat behaviour altered by ibotenic acid lesions of the basal forebrain cholinergic system (695) 289
Penke, B., see Harkany, T. (695) 71
Perciavalle, V., Bosco, G. and Poppele, R.
Correlated activity in the spinocerebellum is related to spinal timing generators (695) 293
Piepmeier, J.M., see Klepper, S. (695) 245
Poosch, M.S., see Bannon, M.J. (695) 19
Poppele, R., see Perciavalle, V. (695) 293
Pundt, L.L., Kondoh, T. and Low, W.C.
The fate of human glial cells following transplantation in normal rodents and rodent models of neurodegenerative disease (695) 25

Rambaud, C., see Jordan, D. (695) 117
Reinoso-Suárez, F., see Amer-Ferrer, G. (695) 283
Reuss, S., Decker, K., Rößeler, L., Layes, E., Schollmayer, A. and Spessert, R.
Nitric oxide synthase in the hypothalamic suprachiasmatic nucleus of rat: evidence from histochemistry, immunohistochemistry and Western blot; and colocalization with VIP (695) 257
Rohrer, B. and Stell, W.K.
Localization of putative dopamine D_2-like receptors in the chick retina, using in situ hybridization and immunocytochemistry (695) 110
Rößeler, L., see Reuss, S. (695) 257

Saito, K., see Saito, T. (695) 240
Saito, T., Itoh, T., Fujimura, M. and Saito, K.
Age-dependent and region-specific differences in the distribution of trace elements in 7 brain regions of Long-Evans Cinnamon (LEC) rats with hereditary abnormal copper metabolism (695) 240
Saska, T.A., see Mohammed, J.R. (695) 100
Sawashita, J., see Takeda, A. (695) 53
Scallet, A.C., see Schmued, L.C. (695) 64
Schmidt, R.E., see Stewart, G.R. (695) 81
Schmued, L.C., Scallet, A.C. and Slikker, Jr., W.
Domoic acid-induced neuronal degeneration in the primate forebrain revealed by degeneration specific histochemistry (695) 64
Schollmayer, A., see Reuss, S. (695) 257
Shibata, S., see Nishikawa, Y. (695) 158
Shibata, S., see Watanabe, A. (695) 237
Slikker, Jr., W., see Schmued, L.C. (695) 64
Somjen, G.G., see Chebabo, S.R. (695) 203
Somjen, G.G., see Huang, R. (695) 195
Soós, K., see Harkany, T. (695) 71
Spessert, R., see Reuss, S. (695) 257
Stell, W.K., see Rohrer, B. (695) 110
Stephens Jr., R.L., see Mohammed, J.R. (695) 100
Stewart, G.R., Olney, J.W., Schmidt, R.E. and Wozniak, D.F.
Mineralization of the globus pallidus following excitotoxic lesions of the basal forebrain (695) 81

Takeda, A., Sawashita, J. and Okada, S.
Biological half-lives of zinc and manganese in rat brain (695) 53
Tassorelli, C. and Joseph, S.A.
NADPH-diaphorase activity and Fos expression in brain nuclei following nitroglycerin administration (695) 37
Thomas, D.A. and Hammond, D.L.
Microinjection of morphine into the rat medullary dorsal horn produces a dose-dependent increase in facial scratching (695) 267
Thomas, M.J. and O'Dell, T.J.
The molecular switch hypothesis fails to explain the inconsistent effects of the metabotropic glutamate receptor antagonist MCPG on long-term potentiation (695) 45
Thompson, A.M. and Thompson, G.C.
Light microscopic evidence of serotoninergic projections to olivocochlear neurons in the bush baby (*Otolemur garnettii*) (695) 263
Thompson, G.C., see Thompson, A.M. (695) 263
Tian, Y., see Bannon, M.J. (695) 19
Tortosa, A., see Espino, A. (695) 151

Uruno, K., O'Connor, M.J. and Masukawa, L.M.
Effects of bicuculline and baclofen on paired-pulse depression in the dentate gyrus of epileptic patients (695) 163

Viana Di Prisco, G., Ohta, Y., Bongianni, F., Grillner, S. and Dubuc, R.
Trigeminal inputs to reticulospinal neurones in lampreys are mediated by excitatory and inhibitory amino acids (695) 76
Villanueva, L., see Ardid, D. (695) 253

Wakabayashi, T., see Ichihara, N. (695) 173
Watanabe, A., Shibata, S. and Watanabe, S.
Circadian rhythm of spontaneous neuronal activity in the suprachiasmatic nucleus of old hamster in vitro (695) 237
Watanabe, S., see Nishikawa, Y. (695) 158
Watanabe, S., see Watanabe, A. (695) 237
Watkins, L.R., see Maier, S.F. (695) 279
Weiss, M., Buldakova, S. and Dutova, E.
Interaction of the β-carboline harmaline with a GABA-benzodiazepine mechanism: an electrophysiological investigation on rat hippocampal slices (695) 105
Whitty, C.J., see Bannon, M.J. (695) 19
Wichems, C.H., Hollingsworth, C.K. and Bennett, B.A.
Release of serotonin induced by 3,4-methylenedioxymethamphetamine (MDMA) and other substituted amphetamines in cultured fetal raphe neurons: further evidence for calcium-independent mechanisms of release (695) 10
Wozniak, D.F., see Stewart, G.R. (695) 81
Wu, J., see Ichihara, N. (695) 173
Wu, M.-C., see Azzazy, H.M.E. (695) 231
Wustrow, D.J., see Banks, W.A. (695) 59

Yamazaki, K., see Ichihara, N. (695) 173
Yatani, A., see Ishibashi, H. (695) 88
Yonehara, S., see Nishimura, T. (695) 137
Yoshino, M. and Kamiya, H.
Suppression of presynaptic calcium influx by metabotropic glutamate receptor agonists in neonatal rat hippocampus (695) 179

(contents continued)

Nitric oxide synthase in the hypothalamic suprachiasmatic nucleus of rat: evidence from histochemistry, immunohistochemistry and Western blot; and colocalization with VIP
S. Reuss, K. Decker, L. Rößeler, E. Layes, A. Schollmayer and R. Spessert (Germany) 257
Light microscopic evidence of serotoninergic projections to olivocochlear neurons in the bush baby (*Otolemur garnettii*)
A.M. Thompson and G.C. Thompson (USA) 263
Microinjection of morphine into the rat medullary dorsal horn produces a dose-dependent increase in facial scratching
D.A. Thomas and D.L. Hammond (USA) 267
Effects of ethanol on respiratory activity in the neonatal rat brainstem-spinal cord preparation
E. Di Pasquale, R. Monteau, G. Hilaire and S. Iscoe (France, Canada) 271
Role of lateral parabrachial nucleus in the inhibition of water intake produced by right atrial stretch
L.E. Ohman and A.K. Johnson (USA) 275
Intracerebroventricular interleukin-1 receptor antagonist blocks the enhancement of fear conditioning and interference with escape produced by inescapable shock
S.F. Maier and L.R. Watkins (USA) 279
Projections from the 17/18 visual area transition zone to the ipsilateral visual field representation in the cat superior colliculus
G. Amer-Ferrer and F. Reinoso-Suárez (Spain) 283
A protective effect of lithium on rat behaviour altered by ibotenic acid lesions of the basal forebrain cholinergic system
T. Pascual and J.-L. Gonzalez (Spain) 289
Correlated activity in the spinocerebellum is related to spinal timing generators
V. Perciavalle, G. Bosco and R. Poppele (USA) 293

Author Index 298